Amendments to the Claims:

Claims 1-30, as filed, are reproduced as follows:

| 1 | 1. (original) A system for delivering information to at least one |
|----|---|
| 2 | subscriber comprising: |
| 3 | a subscriber data storage element; |
| 4 | a wireless receiver in communication with the data storage element; |
| 5 | a wireless distribution system in wireless communication with each |
| 6 | receiver/transceiver; |
| 7 | a data delivery server in communication with the wireless distribution |
| 8 | system, the data delivery server containing information to be delivered to at least one |
| 9 | wireless receiver; and |
| Ò. | an internetworking function element in communication with the |
| 1 | wireless distribution system, the internetworking function element operative to |
| 2 | receive the information to be delivered and to deliver the information based on a |
| 3 | determined delivery event to reduce the impact of information delivery on the |
| 4 | wireless distribution system. |
| | |
| 1 | 2. (original) A system for delivering information as in claim 1 |
| 2 | wherein the wireless distribution system comprises: |
| 3 | a plurality of radio access points operative to communicate with a |
| 4 | wireless receiver; |
| 5 | a wireline communication network; and |
| 6 | at least one distribution element operative to route information between |
| 7 | access points and between an access point and the wireline communication system. |
| | |
| 1 | 3. (original) A system for delivering information as in claim 2 |
| 2 | wherein the data delivery server is connected to the wireline communication system. |

ς.

1 4. (original) A system for delivering information as in claim 3 2 wherein the internetworking function element is connected to the wireline 3 communication system and the at least one distribution element. 1 5. (original) A system for delivering information as in claim 1 2 wherein the data storage element and the wireless receiver are a single unit. 1 6. (original) A system for delivering information as in claim 1 2 wherein the data storage element is disposed within a cradle for supplying power to 3 the wireless receiver. 1 7. (original) A system for delivering information as in claim 1 2 wherein the data storage element is a component in a computer system. 1 8. (original) A system for delivering information as in claim 1 2 wherein the data storage comprises removable memory. 1 9. (original) A system for delivering information as in claim 1 2 wherein the delivery event is based on a time of day. 1 10. (original) A system for delivering information as in claim 1 2 wherein the delivery event is based on measured parameters in the wireless 3 distribution system. 1 11. (original) A system for delivering information as in claim 1 2 wherein at least one of the internetworking function element and the data delivery 3 server is further operative to receive instructions about a priority of information for

delivery and to deliver the information based on the priority.

| 1 | 12. (original) A system for delivering information as in claim 1 |
|-----|--|
| 2. | wherein the wireless distribution system is operative to distribute information |
| 3 · | simultaneously to a plurality of subscriber wireless receiver. |
| 1 | 13. (original) A system for delivering information as in claim 1 |
| 2 | wherein the wireless receiver is part of a wireless transceiver. |
| 1 | 14. (original) A system for delivering information as in claim 13 |
| 2 | wherein the wireless transceiver is operative to transmit information through the |
| 3 | wireless distribution system based on a determined delivery event to reduce the |
| 4 | impact of information delivery on the wireless distribution system. |
| • | 15 (ouiginal). A gratom for delivering information on in claim 1 |
| 1 | 15. (original) A system for delivering information as in claim 1 |
| 2 | wherein the wireless receiver receives notification once information delivery is |
| 3 | complete. |
| 1 | 16. (original) A system for delivering information as in claim 1 |
| 2 | further comprising at least one protected computer system sourcing information to be |
| 3 | delivered to the wireless receiver. |
| • | |
| ,1 | 17. (original) A system for delivering information as in claim 1 |
| 2 | wherein the internetworking function element queries the wireless receiver prior to |
| 3 | delivering information. |
| 1 | 18. (original) A method for delivering information to a wireless |
| 2 | receiver/transceiver comprising: |
| 3 | receiving information for delivery; |
| 4 | determining a time to deliver the information, the time based on |
| 5 | reducing the impact of information delivery on a wireless distribution system in |
| 6 | communication with the wireless receiver/transceiver; |

| 7 | delivering the information to the wireless distribution system; and |
|----------|---|
| 8 | wirelessly transmitting the information to the receiver/transceiver. |
| | |
| 1 | 19. (original) A method for delivering information as in claim 18 |
| 2 | wherein the information is received over a wireline connection. |
| | |
| 1 | 20. (original) A method for delivering information as in claim 18 |
| 2 | further comprising receiving the transmitted information and storing the received |
| 3 | information in a wireless receiver/transceiver. |
| | |
| 1 | 21. (original) A method for delivering information as in claim 18 |
| 2 | further comprising receiving the transmitted information and storing the received |
| 3 | information in a cradle supplying power to a wireless receiver/transceiver. |
| | |
| 1 | 22. (original) A method for delivering information as in claim 18 |
| 2 | further comprising receiving the transmitted information and storing the received |
| 3 | information in a computer system in communication with the wireless |
| 4 | receiver/transceiver. |
| | |
| 1 | 23. (original) A method for delivering information as in claim 18 |
| 2 | further comprising receiving the transmitted information and storing the received |
| 3 | information in a removable memory module. |
| • | |
| 1 | 24. (original) A method for delivering information as in claim 18 |
| 2 | wherein the determined time to deliver the information is based on a preset time of |
| 3 | dáy. |
| | |
| 1 | 25. (original) A method for delivering information as in claim 18 |
| Ż | wherein the determined time to deliver the information is based on measured loads |
| 3 | in the wireless distribution system. |

| 1 | 26. (original) A method for delivering information as in claim 18 |
|-----|---|
| 2 | further comprising receiving instructions about a priority of information for delivery. |
| | |
| 1 | 27. (original) A method for delivering information as in claim 18 |
| 2 | wherein wirelessly transmitting the information comprises simultaneously |
| 3 | transmitting to a plurality of wireless receivers/transceivers. |
| | |
| 1 · | 28. (original) A method for delivering information as in claim 18 |
| 2 | further comprising establishing a data delivery profile indicating information delivery |
| 3 | characteristics. |
| 1 . | 29. (original) A method for delivering information as in claim 18 |
| 2 | further comprising querying the wireless receiver/transceiver prior to delivering the |
| 3 | information to the wireless distribution system. |
| , | Information to the wholest distributed by seems |
| 1 | 30. (original) A method for delivering information as in claim 18 |
| 2 | wherein the information for delivery is received from at least one protected computer |
| ż | cyctem |